

Rugged Android Handheld - Designed to Read Any RFID Technology!

Performance Characteristics

Processor	Quad Core @ 1.4 GHzH
Operating System	Android 7.1
Memory	2 GB LPDDR3 RAM, 16 GB Flash, Up to 400 GB via the Micro SD Slot
Drop Spec	Multiple drops on 1.5m (Compliant MIL-STD-810G)
Barcode Engine	Imager 2D Honeywell N6603
Camera	13 MPixels Autofocus & Flash, Sensor Sony IMX135
Battery Supply	3300 mAh Li-ion (Up to 10 hours working-time), Non-removable battery Battery charging time: 3hours Charging methods: EU standard power supply or cigarette lighter Snap-on connected spare battery 3200 mAh



Physical Characteristics

Dimensions	150 mm x 80 mm x 30 mm (L x l x P)
Display	4.5" Dragontrail Glass WVGA High Resolution (720x1280), Capacitive Color Touchscreen
Weight	345 grams including battery
Operating Temp.	-20°C to +60°C
Storage Temp.	-20°C to +60°C
Expansion Slot	1 Micro SD Slot, 1 Micro SIM Slot, 1 Micro USB Connector
Dust & Water Proof	IP65



Network Characteristics

WLAN	WiFi (2.4 GHz - 5 GHz), 802.11 a/b/g/n/ac
Bluetooth	BT 4.0, BT 2.1 EDR
WWAN	3G, 4G, GSM/GPRS/Edge
GPS	GPS, A-GPS, GLONASS, BeiDou

RFID Module Support

Radio Frequency & Tag Support	RFID HF iCLASS - LF Prox HID Global Module: SE3200BP0 HF Frequency: 13.56 MHz ISO 14443 A/B, ISO 15693 - Felica Compliant with: • MIFARE® Classic, MIFARE DESFire® 0.6, MIFARE DESFire® EV1, NFC • HID iCLASS® Standard/SE/SR/Seos, Secure Identity Object® (SIO®), PIV II LF Frequency: 125 KHz Compliant with: • HID Prox, Indala Prox, EM4102, AWID Prox
--	---



Cradle

Standard Interface	Docking station (Single or 4-slot)
Ethernet Interface	Direct Ethernet connection via a USB/Ethernet adapter or via the Ethernet interface of the docking station